

SEMINARIO DE POBLACIÓN Y SALUD I

17 de mayo 2011
Sesión 2 Parte 2

Cecilia Gayet
Claudio Dávila

ENCUESTAS DHS

Distintas herramientas *online*

1) Express Viewer

<http://www.statcompiler.com/tablebuildercontroller.cfm?userid=0&usertabid=0&flag=qv&fromSurveyList=quickstats>

La herramienta “Express Viewer” del compilador, da la posibilidad de desplegar una tabla para un país o región seleccionado, de acuerdo al tema elegido.

The screenshot shows the 'Express Viewer' page of the STATcompiler tool. The header includes 'MEASURE DHS ONLINE TOOLS' and 'STATcompiler Building Tables with DHS Data'. A navigation bar contains links: Home, Table Builder, Express Viewer (active), Quick Compare, Country Quickstats, Surveys, and Indicators. The main heading is 'Express Viewer' with the subtext 'Quickly create and view a STATCompiler table.' Below this is a 'Get Started' section with instructions: 'Select Recent Surveys or a country or region and indicator topic, and then click on "Create Table"..'. It features two dropdown menus: 'Country/Region: --- Select Country/Region/Recent ---' and 'Indicator Topic: --Select Table--'. A blue 'Create Table' button is positioned below the dropdowns. At the bottom of the main content area, there is a link: 'Would you mind answering [a few questions about the STATcompiler?](#)'. The footer contains links for 'Contact Us', 'Privacy Statement', and 'About Us', followed by the organization's name and address: 'MEASURE DHS, ICF Macro, 11785 Beltsville Drive, Suite 300, Calverton, MD 20705 USA' and contact information: 'Tel: 301 572-0456 Fax: 301 572-0999'.

MEASURE DHS ONLINE TOOLS

STATcompiler Building Tables with DHS Data

MEASURE DHS Home | STATmapper | HIV/AIDS Indicators Database | HIVmapper

Home | Table Builder | Express Viewer | Quick Compare | Country Quickstats | Surveys | Indicators

Express Viewer

Quickly create and view a STATCompiler table.

Get Started

Select Recent Surveys or a country or region and indicator topic, and then click on "Create Table"..

Country/Region: --- Select Country/Region/Recent --- ▼

Indicator Topic: --Select Table-- ▼

Create Table

Would you mind answering [a few questions about the STATcompiler?](#)

[Contact Us](#) | [Privacy Statement](#) | [About Us](#)

MEASURE DHS, ICF Macro, 11785 Beltsville Drive, Suite 300, Calverton, MD 20705 USA
Tel: 301 572-0456 Fax: 301 572-0999

Uso actual de anticoncepción por edad quinquenal, Colombia 1986 a 2010

Table Builder: View Table

Start Over

Modify Table

Would you mind answering [a few questions about the STATcompiler?](#)

Printer-friendly view

Export to Excel

Help

Pivot View: ☐ Sort - Survey/Characteristic ☒ Sort - Characteristic/Survey ☐ Sort - Survey

Current use of contraception																				
Currently married																				
Contraceptive method																			Total percentage and number	
	Any method	Any modern method	Pill	IUD	Injections	Diaphragm/foam/jelly	Condom	Female sterilization	Male sterilization	Implants	Lactational amenorrhea	Foam or jelly	Any traditional method	Periodic abstinence	Withdrawal	Any folk method	Any traditional or folk method	Not currently using	Total	Number
Age in 5 year categories: 15-19																				
Colombia 2010	60.5	55.1	10.0	4.2	23.5	-	7.8	1.5	0.3	7.5	0.2	0.0	5.2	0.4	4.8	0.3	5.5	39.5	100	1249
Colombia 2005	57.2	47.1	13.6	12.8	9.8	-	7.8	0.9	0.0	0.1	1.9	0.3	9.3	2.0	7.3	0.7	10.0	42.8	100	934
Colombia 2000	57.2	45.0	19.4	8.3	8.9	-	4.5	0.5	0.0	0.0	2.6	0.8	11.1	4.3	6.8	1.1	12.2	42.8	100	325
Colombia 1995	50.7	36.7	18.7	6.6	4.7	1.7	4.2	0.3	0.0	0.6	-	-	12.0	3.2	8.8	2.0	14.0	49.3	100	293
Colombia 1990	36.9	31.9	18.8	9.8	1.7	0.3	1.3	0.0	0.0	-	-	-	3.2	1.8	1.4	1.8	5.0	63.1	100	196
Colombia 1986	28.9	21.2	13.4	4.8	1.9	1.1	0.0	0.0	0.0	-	-	-	6.2	2.6	3.6	1.5	7.7	71.1	100	148
Age in 5 year categories: 20-24																				
Colombia 2010	71.7	66.0	11.3	7.8	20.1	-	8.0	9.1	0.7	8.7	0.4	0.0	5.4	1.0	4.4	0.3	5.7	28.3	100	3207
Colombia 2005	71.7	61.3	15.2	14.7	11.6	-	9.7	7.0	0.6	0.9	1.5	0.1	10.0	3.1	7.0	0.4	10.5	28.3	100	2735
Colombia 2000	69.1	56.8	18.3	15.1	8.9	-	8.6	3.9	0.1	0.0	1.4	0.5	11.3	3.9	7.4	1.0	12.3	30.9	100	814
Colombia 1995	60.8	47.6	19.0	13.0	4.6	1.6	4.7	3.3	0.1	1.2	-	-	9.9	3.4	6.6	3.3	13.2	39.2	100	942
Colombia 1990	54.4	46.1	23.0	14.3	3.2	1.5	1.7	2.1	0.2	-	-	-	7.4	3.3	4.1	0.9	8.3	45.6	100	740
Colombia 1986	57.0	47.2	22.7	15.6	2.4	1.3	2.0	3.2	0.0	-	-	-	9.1	4.1	5.0	0.7	9.8	43.0	100	502
Age in 5 year categories: 25-29																				
Colombia 2010	78.4	72.6	11.2	8.6	14.1	-	8.3	21.7	2.7	5.8	0.2	0.0	5.4	2.0	3.4	0.3	5.8	21.6	100	4414
Colombia 2005	78.0	67.5	12.7	15.4	10.1	-	8.1	18.2	1.4	0.7	0.9	0.2	10.0	3.7	6.2	0.5	10.5	22.0	100	3348
Colombia 2000	77.4	63.9	16.6	17.9	6.3	-	7.5	12.3	0.6	0.5	1.2	0.9	13.0	5.6	7.4	0.5	13.5	22.6	100	1038
Colombia 1995	71.9	58.5	18.7	15.1	3.7	1.3	5.5	12.1	0.6	1.4	-	-	11.6	5.4	6.2	1.8	13.4	28.1	100	1203
Colombia 1990	66.7	56.5	18.6	15.5	3.7	2.1	3.6	12.2	0.8	-	-	-	9.8	5.0	4.8	0.3	10.1	33.3	100	946
Colombia 1986	68.7	59.4	26.3	12.6	3.3	3.9	2.5	10.5	0.2	-	-	-	8.8	4.0	4.8	0.5	9.3	31.3	100	611
Age in 5 year categories: 30-34																				
Colombia 2010	82.6	77.3	9.1	10.2	9.1	-	8.0	34.0	4.0	2.7	0.2	0.1	5.1	2.0	3.1	0.2	5.3	17.4	100	4589
Colombia 2005	81.5	72.1	10.8	12.5	5.9	-	6.8	32.1	2.6	0.3	0.6	0.5	8.7	3.4	5.3	0.6	9.4	18.5	100	3405
Colombia 2000	80.3	69.5	13.4	14.7	2.9	-	7.5	27.8	1.6	0.2	0.6	0.9	10.3	5.6	4.6	0.5	10.8	19.7	100	1095
Colombia 1995	78.1	65.1	14.6	14.8	2.5	1.4	4.3	25.6	1.1	0.8	-	-	11.6	6.5	5.1	1.4	13.0	21.9	100	1153
Colombia 1990	74.7	63.0	14.3	15.5	1.7	2.2	2.2	26.4	0.6	-	-	-	11.1	7.3	3.8	0.6	11.7	25.3	100	835

Uso actual de anticoncepción por otras características, Bolivia 2008

Select Recent Surveys or a country or region and indicator topic, and then click on "Create Table".

Country/Region: Bolivia [View Country Quickstats](#)

Indicator Topic: Current use of contraception by background characteristics

[Create Table](#)

Would you mind answering [a few questions about the STATcompiler?](#)

[Printer-friendly view](#) [Export to Excel](#) [Help](#)

Pivot View: ☒ Sort - Survey/Characteristic ☐ Sort - Characteristic/Survey ☐ Sort - Survey

Helpful Hint: You can [customize this table](#) to select additional surveys and tables or hide individual characteristics.

	Current use of contraception by background characteristics																					
	Contraceptive method																				Total percentage and number	
	Any method	Any modern method	Pill	IUD	Injections	Diaphragm/foam /jelly	Condom	Female sterilization	Male sterilization	Implants	Lactational amenorrhea	Female condom	Foam or jelly	Any traditional method	Periodic abstinence	Withdrawal	Other traditional methods	Any folk method	Any traditional or folk method	Not currently using	Total	Number
Bolivia 2008 ⁽¹⁾																						
Highest educational level																						
No education	42.0	21.6	1.6	2.1	11.4	-	0.0	6.5	0.0	-	0.0	-	0.0	20.4	16.5	3.9	0.0	0.1	20.4	58.0	100.0	653
Primary	56.1	29.6	3.0	5.4	12.7	-	1.7	6.2	0.0	-	0.4	-	0.0	26.3	20.5	5.7	0.1	0.2	26.5	43.9	100.0	5218
Secondary or higher	68.9	42.6	4.0	13.1	9.5	-	7.4	6.9	0.2	-	1.4	-	0.1	26.3	21.9	4.2	0.2	0.1	26.4	31.1	100.0	4290
Number of living children																						
None	30.0	11.4	3.2	0.4	3.8	-	4.0	0.0	0.0	-	0.0	-	0.0	18.6	16.3	2.0	0.3	0.0	18.6	70.0	100.0	550
1	59.1	33.1	3.8	10.0	11.4	-	6.0	0.3	0.1	-	1.4	-	0.1	26.1	20.5	5.4	0.2	0.0	26.1	40.9	100.0	1771
2	67.6	38.7	3.5	12.8	12.6	-	6.2	2.5	0.1	-	0.7	-	0.2	28.9	23.1	5.6	0.2	0.1	29.0	32.4	100.0	2436
3	67.1	41.6	3.6	10.3	12.6	-	4.2	9.3	0.3	-	1.1	-	0.1	25.3	20.6	4.8	0.0	0.2	25.5	32.9	100.0	1895
4+	57.8	32.3	2.9	4.9	10.7	-	1.4	11.9	0.0	-	0.6	-	0.0	25.2	20.3	4.8	0.1	0.3	25.5	42.2	100.0	3509
Household wealth index																						
Lowest	46.2	22.6	2.0	2.1	14.0	-	0.4	3.5	0.2	-	0.5	-	0.0	23.2	19.1	3.9	0.1	0.4	23.5	53.8	100.0	1871
Second	54.8	27.0	3.2	4.5	13.1	-	1.2	4.3	0.0	-	0.5	-	0.0	27.7	22.5	5.1	0.1	0.1	27.8	45.2	100.0	1934
Middle	62.2	34.2	3.6	6.9	12.6	-	3.3	6.8	0.0	-	1.0	-	0.0	27.8	20.9	6.7	0.3	0.2	28.0	37.8	100.0	2138
Fourth	67.3	40.8	3.8	11.5	11.4	-	5.7	7.2	0.0	-	1.0	-	0.2	26.3	21.1	5.1	0.1	0.2	26.5	32.7	100.0	2244
Highest	70.8	46.5	4.0	16.5	5.3	-	8.9	10.3	0.3	-	1.1	-	0.2	24.2	20.5	3.5	0.2	0.0	24.2	29.2	100.0	1975
Residence																						
Urban	65.7	40.2	3.8	11.6	9.8	-	5.8	7.9	0.1	-	1.0	-	0.1	25.4	20.0	5.2	0.2	0.1	25.5	34.3	100.0	6226
Rural	52.6	25.7	2.6	3.5	13.5	-	1.2	4.2	0.1	-	0.5	-	0.0	26.7	22.1	4.5	0.1	0.2	26.9	47.4	100.0	3935
Total																						
Total	60.6	34.6	3.3	8.4	11.3	-	4.0	6.5	0.1	-	0.8	-	0.1	25.9	20.8	4.9	0.1	0.2	26.1	39.4	100.0	10162

Fuente de suministro de anticoncepción, Guatemala 2002 y 2008

Get Started

Select Recent Surveys or a country or region and indicator topic, and then click on "Create Table"..

Country/Region: Guatemala

[View Country Quickstats](#)

Indicator Topic: Source of supply for modern contraceptive methods

Create Table

Would you mind answering [a few questions about the STATcompiler?](#)

[Printer-friendly view](#) [Export to Excel](#) [Help](#)

Pivot View: ☒ Sort - Survey/Characteristic ☐ Sort - Characteristic/Survey ☐ Sort - Survey

Helpful Hint: You can [customize this table](#) to select additional surveys and tables or hide individual characteristics.

Source of supply for modern contraceptive methods									
	Method								Total
	Pill	IUD	Injections	Diaphragm/foam /jelly	Condom	Female sterilization	Male sterilization	Implants	Total
Guatemala 2008 RHS ⁽¹⁾									
Source of current method									
Public	44.3	51.8	81.9	38.5	17.9	59.8	19.3	28.6	60.2
Private medical	54.5	46.2	16.6	61.5	78.3	38.6	76.2	69.6	38.0
Other	1.1	1.2	1.4	0.0	0.7	1.0	0.5	1.1	1.1
DK	0.1	0.8	0.1	0.0	3.2	0.6	4.0	0.7	0.7
Total percentage and number									
Total	100	100	100	100	100	100	100	100	100
Number	408	139	1564	2	445	2164	82	100	4906
Guatemala 2002 RHS ⁽²⁾									
Source of current method									
Public	35.3	29.0	65.5	0.0	12.9	43.3	8.6	74.0	44.1
Private medical	59.4	71.0	32.2	100.0	84.2	56.6	88.8	26.0	54.5
Other private	4.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.7
Other	0.9	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.4
DK	0.3	0.0	0.0	0.0	2.9	0.0	2.6	0.0	0.3
Total percentage and number									
Total	100	100	100	100	100	100	100	100	100
Number	205	108	514	5	152	1040	53	5	2083

2) Quick Compare

<http://www.statcompiler.com/canned.cfm?userid=0&usertabid=0>

La herramienta “Quick Compare” del compilador, compara indicadores clave provenientes de encuestas de los últimos 5 años.

Quick Compare

Compare key indicators from surveys in the past five years.

Get Started

Select one or more of the following indicators (up to a maximum of 10) and then click on "Create Table".

Characteristics of Households

- ☐ Percentage of women with no education
- ☐ Percentage of women with access to newspaper, television and radio

Fertility

- ☐ Total fertility rate (children per women)
- ☐ Percentage of teenagers who have begun childbearing

Family Planning

- ☐ Percentage of married women currently using any method of family planning
- ☐ Percentage of married women currently using any modern method of family planning

Other Proximate Determinants of Fertility

- ☐ Median age at first marriage for women age 25-49 (years)
- ☐ Median age at first sex for women age 25-49 (years)

Fertility Preferences

- ☐ Percentage of married women who want no more children
- ☐ Percentage of married women with an unmet need for family planning
- ☐ Mean ideal number of children

Early Childhood Mortality

- ☐ Infant mortality rate (per 1,000 live births)
- ☐ Under-five mortality rate (per 1,000 live births)

Maternal and Child Health

- ☐ Percentage of live births receiving antenatal care from a trained health professional
- ☐ Percentage of live births delivered at a health facility
- ☐ Percentage of live births receiving assistance at delivery from a trained health professional
- ☐ Percentage of children fully immunized
- ☐ Percentage of children with acute respiratory infection or fever taken to a health facility
- ☐ Percentage of children with diarrhea who received either ORS or RLS

Maternal and Child Nutrition

- ☐ Median exclusive breastfeeding duration (months)
- ☐ Percentage of children underweight (-2 SD)
- ☐ Percentage of children stunted (-2 SD)
- ☐ Percentage of children wasted (-2 SD)

Create Table

Planificación familiar, comparación entre todos los países con DHS en los últimos 5 años

Quick Compare: View Indicators

[Modify Table](#)

[Select Other Indicators](#)

Modify Table will take you to **Table Builder** where you can customize this table to include other related variables and indicators from the underlying STATcompiler tables.

	Percentage of married women currently using any method of family planning	Percentage of married women currently using any modern method of family planning	Percentage of married women with an unmet need for family planning				
Armenia 2005	53.1	19.5	13.3	Indonesia 2007	61.4	57.4	9.1
Azerbaijan 2006	51.1	14.3	22.7	Jamaica 2008 RHS	72.3	68.2	-
Bangladesh 2007	55.8	47.5	16.8	Jordan 2009	59.3	42.0	11.2
Benin 2006	17.0	6.1	29.9	Kenya 2008-09	45.5	39.4	25.6
Bolivia 2008	60.6	34.6	20.2	Madagascar 2008-09	39.9	29.2	18.9
Cambodia 2005	40.0	27.2	25.1	Maldives 2009	34.7	27.0	28.1
Colombia 2010	79.1	72.9	7.0	Mali 2006	8.2	6.9	31.2
Congo (Brazzaville) 2005	44.3	12.7	16.2	Moldova 2005	67.8	43.8	6.7
Congo Democratic Republic 2007	20.6	5.8	24.4	Namibia 2006-07	55.1	53.4	20.6
Dominican Republic 2007	72.9	70.0	11.4	Nepal 2006	48.0	44.2	24.6
Egypt 2008	60.3	57.6	9.2	Nicaragua 2006 RHS	72.4	69.8	-
El Salvador 2008 RHS	72.3	66.1	-	Niger 2006	11.2	5.0	15.8
Ethiopia 2005	14.7	13.9	33.8	Nigeria 2008	14.6	9.7	20.2
Georgia 2005 RHS	47.3	-	-	Pakistan 2006-07	29.6	21.7	24.9
Ghana 2008	23.5	16.6	35.3	Paraguay 2008 RHS	79.4	70.7	-
Guatemala 2008 RHS	54.1	44.0	-	Philippines 2008	50.7	34.0	22.3
Guinea 2005	9.1	5.7	21.2	Rwanda 2007-08	36.4	27.4	-
Haiti 2005-06	32.0	24.8	37.5	Sierra Leone 2008	8.2	6.7	27.6
Honduras 2005-06	65.2	56.4	16.9	Swaziland 2006-07	50.6	47.7	24.0
India 2005-06	56.3	48.5	12.8	Uganda 2006	23.7	17.9	40.6
Indonesia 2007	61.4	57.4	9.1	Ukraine 2007	66.7	47.5	10.3
Jamaica 2008 RHS	72.3	68.2	-	Zambia 2007	40.8	32.7	26.5
				Zimbabwe 2005-06	60.2	58.4	12.8

Tasa de mortalidad infantil, comparación entre todos los países con DHS en los últimos 5 años

Quick Compare: View Indicators

[Select Other Indicators](#)

[Modify Table](#)

Modify Table will take you to **Table Builder** where you can customize this table to include other related variables and indicators from the underlying STATcompiler tables.

	Infant mortality rate (per 1,000 live births)
Angola 2006-07	69.0
Armenia 2005	25.6
Azerbaijan 2006	43.0
Bangladesh 2007	51.5
Benin 2006	67.0
Bolivia 2008	49.8
Cambodia 2005	65.6
Colombia 2010	15.8
Congo (Brazzaville) 2005	75.5
Congo Democratic Republic 2007	91.8
Dominican Republic 2007	32.1
Egypt 2008	24.5
El Salvador 2008 RHS	15.9
Ethiopia 2005	77.0
Georgia 2005 RHS	21.1
Ghana 2008	50.3
Guatemala 2008 RHS	30.3
Guinea 2005	91.4
Haiti 2005-06	57.3
Honduras 2005-06	23.4
India 2005-06	57.0
Indonesia 2007	34.2

Jamaica 2008 RHS	16.7
Jordan 2009	23.1
Kenya 2008-09	51.7
Liberia 2009	72.6
Madagascar 2008-09	47.9
Maldives 2009	14.2
Mali 2006	95.8
Moldova 2005	12.8
Namibia 2006-07	46.1
Nepal 2006	47.9
Nicaragua 2006 RHS	29.0
Niger 2006	81.4
Nigeria 2008	75.3
Pakistan 2006-07	77.7
Paraguay 2008 RHS	20.4
Philippines 2008	24.9
Rwanda 2007-08	62.3
Senegal 2008-09	53.6
Sierra Leone 2008	88.9
Swaziland 2006-07	85.5
Uganda 2006	71.1
Ukraine 2007	13.9
Zambia 2007	70.4
Zimbabwe 2005-06	59.9

Source: Macro International Inc, 2011. MEASURE DHS STATcompiler. <http://www.measuredhs.com>, May 12 2011.

Infant and child mortality (5 year rates):

Infant and child mortality rates by five-year periods preceding the survey. (excludes month of interview from analysis)

3) Country Quickstats

http://www.statcompiler.com/country.cfm?Ctry_id=0

MEASURE DHS ONLINE TOOLS
STATcompiler
Building Tables with DHS Data

MEASURE DHS Home
STATmapper
HIV/AIDS Indicators Database
HIVmapper

Home
Table Builder
Express Viewer
Quick Compare
Country Quickstats
Surveys
Indicators

Country Quickstats

View key indicators from all available surveys for a selected country.

Select a country

Sub-Saharan Africa

Angola	Congo Democratic Republic	Malawi	South Africa
Benin	Cote d'Ivoire	Mali	Sudan
Botswana	Eritrea	Mauritania	Swaziland
Burkina Faso	Ethiopia	Mozambique	Tanzania
Burundi	Gabon	Namibia	Togo
CAR	Ghana	Niger	Uganda
Cameroon	Guinea	Nigeria	Zambia
Cape Verde	Kenya	Nigeria (Ondo State)	Zimbabwe
Chad	Lesotho	Rwanda	
Comoros	Liberia	Senegal	
Congo (Brazzaville)	Madagascar	Sierra Leone	

North Africa / West Asia / Europe

Albania	Georgia	Romania	Yemen
Armenia	Jordan	Tunisia	
Azerbaijan	Moldova	Turkey	
Egypt	Morocco	Ukraine	

Central Asia

Kazakhstan	Kyrgyz Republic	Turkmenistan	Uzbekistan
----------------------------	---------------------------------	------------------------------	----------------------------

South & Southeast Asia

Bangladesh	Indonesia	Pakistan	Thailand
Cambodia	Maldives	Philippines	Vietnam
India	Nepal	Sri Lanka	

Latin America & Caribbean

Bolivia	Ecuador	Honduras	Paraguay
Brazil	El Salvador	Jamaica	Peru
Colombia	Guatemala	Mexico	Trinidad and Tobago
Dominican Republic	Haiti	Nicaragua	

[Contact Us](#) | [Privacy Statement](#) | [About Us](#)

MEASURE DHS, ICF Macro, 11785 Beltsville Drive, Suite 300, Calverton, MD 20705 USA
Tel: 301 572-0456 Fax: 301 572-0999

Esta herramienta llamada “Country Quickstats” del compilador, proporciona una tabla con indicadores clave de un país seleccionado. Permite tener una breve mirada a la tendencia de ciertos indicadores en el país seleccionado.

Resumen de ciertos indicadores y estadísticas para México

Mexico Quickstats

[Printer-friendly version](#)

View key indicators from all available surveys for a selected country.

Select a country

Country:



Indicator	1987	Chart
Characteristics of Households		
Percentage of women with no education	10.8	
Fertility		
Total fertility rate (children per women)	4.0	
Percentage of teenagers who have begun childbearing	17.9	
Family Planning		
Percentage of married women currently using any method of family planning	52.7	
Percentage of married women currently using any modern method of family planning	44.6	
Other Proximate Determinants of Fertility		
Median age at first marriage for women age 25-49 (years)	19.9	
Median age at first sex for women age 25-49 (years)	19.6	
Fertility Preferences		
Percentage of married women who want no more children	62.0	
Mean ideal number of children	3.0	
Early Childhood Mortality		
Infant mortality rate (per 1,000 live births)	47.4	
Under-five mortality rate (per 1,000 live births)	61.4	
Maternal and Child Health		
Percentage of live births receiving antenatal care from a trained health professional	75.0	
Percentage of live births receiving assistance at delivery from a trained health professional	69.4	
Percentage of children with diarrhea who received either ORS or RLS	4.4	
Maternal and Child Nutrition		
Median exclusive breastfeeding duration (months)	0.9	

[Contact Us](#) | [Privacy Statement](#) | [About Us](#)

MEASURE DHS, ICF Macro, 11785 Beltsville Drive, Suite 300, Calverton, MD 20705 USA
Tel: 301 572-0456 Fax: 301 572-0999

Resumen de ciertos indicadores y estadísticas para Colombia

Country:



Indicator	1986	1990	1995	2000	2005	2010	Chart
Characteristics of Households							
Percentage of women with no education	5.7	4.2	3.8	3.3	2.7	1.7	
Percentage of women with access to newspaper, television and radio	44.9	42.7	51.8				
Fertility							
Total fertility rate (children per women)	3.2	2.8	3.0	2.6	2.4		
Percentage of teenagers who have begun childbearing	13.6	12.8	17.4	19.1	20.5		
Family Planning							
Percentage of married women currently using any method of family planning	64.8	66.1	72.2	76.9	78.2	79.1	
Percentage of married women currently using any modern method of family planning	52.4	54.6	59.3	64.0	68.2	72.9	
Other Proximate Determinants of Fertility							
Median age at first marriage for women age 25-49 (years)	20.8	21.0	21.4	21.5	21.7	21.5	
Median age at first sex for women age 25-49 (years)	19.4	20.0	19.6	19.2	18.4	18.1	
Fertility Preferences							
Percentage of married women who want no more children	69.7	64.0	67.3	69.5	71.1	70.1	
Percentage of married women with an unmet need for family planning		11.1	7.7	6.1	5.8	7.0	
Mean ideal number of children	2.7	2.6	2.5	2.3	2.2	2.2	
Early Childhood Mortality							
Infant mortality rate (per 1,000 live births)	32.3	16.5	28.3	21.4	18.7	15.8	
Under-five mortality rate (per 1,000 live births)	41.2	22.6	35.7	24.9	22.2	19.5	
Maternal and Child Health							
Percentage of live births receiving antenatal care from a trained health professional	72.5	81.9	82.5	90.8	93.5	97.0	
Percentage of live births delivered at a health facility		76.4	76.8	87.5	92.0	95.5	
Percentage of live births receiving assistance at delivery from a trained health professional	71.1	80.6	84.5	86.4	90.7	94.8	
Percentage of children fully immunized		68.3	65.5	62.2	58.1	67.7	
Percentage of children with acute respiratory infection or fever taken to a health facility		44.5	48.7			65.3	
Percentage of children with diarrhea who received either ORS or RLS	48.8	40.2	49.7	31.7	55.4	60.8	
Maternal and Child Nutrition							
Median exclusive breastfeeding duration (months)	0.6	0.6	0.5	1.6	2.7	2.6	
Percentage of children underweight (-2 SD)	12.0		8.4	6.7	6.9	4.7	
Percentage of children stunted (-2 SD)	25.4		15.0	13.5	11.5	9.0	
Percentage of children wasted (-2 SD)	1.3		1.4	0.8	1.3	0.7	

4) Statcompiler

<http://www.statcompiler.com/>

Permite crear tablas personalizadas seleccionando entre los más de 130 indicadores provenientes de las más de 200 encuestas realizadas en más de 70 países.

Get Started ? Help	
<p>STEP 1: Choose which survey(s) to include in the STATcompiler table.</p> <p>STEP 2: Choose which indicator(s) to include in the STATcompiler table. When selecting an indicator, you must also choose which indicator variables to include in the table.</p> <p>STEP 3: Generate and view the STATcompiler table. (NOTE: You will not be able to generate the STATcompiler table until you have selected at least one survey and one indicator.)</p>	
<p>1 Available Surveys—Choose one or more surveys and then click the Select button.</p> <p>All Surveys ➔</p> <p>Most Recent Surveys (last 5 yrs) ➔</p> <p>Sub-Saharan Africa:</p> <p>All Surveys ➔</p> <ul style="list-style-type: none"> ➤ Western Africa ➤ Middle Africa ➤ Eastern Africa ➤ Southern Africa <p>North Africa/West Asia/Europe:</p> <p>All Surveys ➔</p> <ul style="list-style-type: none"> ➤ North Africa ➤ Southern Europe ➤ Eastern Europe ➤ West Asia <p>Central Asia:</p> <p>All Surveys ➔</p> <ul style="list-style-type: none"> ➤ Central Asia <p>South & Southeast Asia:</p> <p>All Surveys ➔</p> <ul style="list-style-type: none"> ➤ South Asia ➤ Southeast Asia <p>Latin America & Caribbean:</p> <p>All Surveys ➔</p> <ul style="list-style-type: none"> ➤ Caribbean ➤ Central America ➤ South America 	<p>Selected Surveys</p>
<p>2 Available Indicators—Choose one or more indicators and then click the Select button</p> <p>Indicators Map</p> <ul style="list-style-type: none"> ➤ Characteristics of Households ➤ Fertility ➤ Family Planning ➤ Other Proximate Determinants of Fertility ➤ Fertility Preferences ➤ Early Childhood Mortality ➤ Maternal and Child Health ➤ Maternal and Child Nutrition ➤ HIV/AIDS ➤ Malaria ➤ Appendix 	<p>Selected Indicators</p>

Estatus de planificación de la fecundidad por edad y orden de nacimiento, Colombia 2010

STATcompiler Building Tables with DHS Data

[Home](#)
[Table Builder](#)
[Express Viewer](#)
[Quick Compare](#)
[Country Quickstats](#)
[Surveys](#)
[Indicators](#)

Table Builder: View Table

[Start Over](#)
[Modify Table](#)

Would you mind answering [a few questions about the STATcompiler?](#)

[Printer-friendly view](#)
[Export to Excel](#)
[Help](#)

Pivot View:
☒ [Sort - Survey/Characteristic](#)
☐ [Sort - Characteristic/Survey](#)
☐ [Sort - Survey](#)

	Fertility planning status			
	Time wanted pregnancy			Total percentage and number
	Then	Later	No more	Total
Colombia 2010				
Age at birth				
<20	36.3	47.7	16.0	100
20-24	46.1	34.9	18.9	100
25-29	54.4	22.8	22.8	100
30-34	56.8	14.1	29.0	100
35-39	54.4	7.5	38.1	100
40-44	42.6	3.8	53.6	100
45-49	39.7	2.2	58.1	100
Birth order				
1	52.0	39.0	9.0	100
2	54.5	27.6	17.9	100
3	40.3	21.9	37.7	100
4+	29.6	11.8	58.7	100

Source: Macro International Inc, 2011. MEASURE DHS STATcompiler. <http://www.measuredhs.com>, May 11 2011.

Fertility planning status:

Percent distribution of births in the five years preceding the survey by fertility planning status, according to birth order and mother's age at birth.

Uso actual de anticoncepción por nivel educativo y nivel socioeconómico, Bolivia 2008

Table Builder: View Table

[Start Over](#)
[Modify Table](#)

Would you mind answering [a few questions about the STATcompiler?](#)

[Printer-friendly view](#)
[Export to Excel](#)
[Help](#)

Pivot View: ☒ Sort - Survey/Characteristic ☐ Sort - Characteristic/Survey ☐ Sort - Survey

Current use of contraception by background characteristics																				
Contraceptive method																			Total percentage and number	
	Any method	Any modern method	Pill	IUD	Injections	Condom	Female sterilization	Male sterilization	Implants	Lactational amenorrhea	Foam or jelly	Other modern methods	Any traditional method	Periodic abstinence	Withdrawal	Other traditional methods	Any folk method	Any traditional or folk method	Not currently using	Total Number
Bolivia 2008 ⁽¹⁾																				
Highest educational level																				
No education	42.0	21.6	1.6	2.1	11.4	0.0	6.5	0.0	-	0.0	0.0	-	20.4	16.5	3.9	0.0	0.1	20.4	58.0	653
Primary	56.1	29.6	3.0	5.4	12.7	1.7	6.2	0.0	-	0.4	0.0	-	26.3	20.5	5.7	0.1	0.2	26.5	43.9	5218
Secondary or higher	68.9	42.6	4.0	13.1	9.5	7.4	6.9	0.2	-	1.4	0.1	-	26.3	21.9	4.2	0.2	0.1	26.4	31.1	4290
Household wealth index																				
Lowest	46.2	22.6	2.0	2.1	14.0	0.4	3.5	0.2	-	0.5	0.0	-	23.2	19.1	3.9	0.1	0.4	23.5	53.8	1871
Second	54.8	27.0	3.2	4.5	13.1	1.2	4.3	0.0	-	0.5	0.0	-	27.7	22.5	5.1	0.1	0.1	27.8	45.2	1934
Middle	62.2	34.2	3.6	6.9	12.6	3.3	6.8	0.0	-	1.0	0.0	-	27.8	20.9	6.7	0.3	0.2	28.0	37.8	2138
Fourth	67.3	40.8	3.8	11.5	11.4	5.7	7.2	0.0	-	1.0	0.2	-	26.3	21.1	5.1	0.1	0.2	26.5	32.7	2244
Highest	70.8	46.5	4.0	16.5	5.3	8.9	10.3	0.3	-	1.1	0.2	-	24.2	20.5	3.5	0.2	0.0	24.2	29.2	1975
Colombia 2010																				
Highest educational level																				
No education	72.0	63.1	4.5	3.2	4.4	2.9	46.8	0.2	0.7	0.5	0.0	-	6.9	1.2	5.7	-	2.0	8.9	28.0	620
Primary	80.4	73.8	7.3	7.0	7.5	5.5	42.9	1.9	1.4	0.2	0.1	-	6.0	1.9	4.1	-	0.6	6.6	19.6	7736
Secondary or higher	78.7	72.9	7.8	7.8	10.1	7.8	31.0	4.1	4.0	0.2	0.1	-	5.7	2.5	3.2	-	0.2	5.8	21.3	17891
Household wealth index																				
Lowest	75.5	68.5	9.7	6.4	11.3	4.8	33.6	0.4	1.8	0.4	0.1	-	6.3	1.9	4.4	-	0.8	7.0	24.5	5170
Second	79.2	73.1	8.7	6.7	9.5	6.5	37.0	1.6	2.6	0.2	0.1	-	5.9	2.1	3.9	-	0.3	6.2	20.8	5467
Middle	79.9	73.2	7.3	7.6	10.2	8.0	33.4	2.7	3.7	0.1	0.1	-	6.3	2.4	3.9	-	0.4	6.7	20.1	5511
Fourth	80.6	75.1	6.4	8.5	8.0	7.5	36.0	4.5	4.1	0.1	0.1	-	5.4	2.1	3.3	-	0.1	5.5	19.4	5324
Highest	80.0	74.9	5.8	8.2	6.6	8.3	34.3	8.1	3.4	0.0	0.1	-	5.1	3.1	2.0	-	0.1	5.2	20.0	4776

Tendencias de la fecundidad, Bangladesh 2007; India 2005-06; Nepal 2006

	Fertility trends			
	Five year periods			
	0-4	5-9	10-14	15-19
Bangladesh 2007 ⁽¹⁾				
Age 5-year groups				
15-19	133.4	174.2	187.2	207.3
20-24	171.8	206.8	226.3	243.8
25-29	131.6	167.3	177.0	209.8
30-34	78.5	109.3	123.6	142.0
35-39	37.9	54.9	76.2	-
40-44	12.1	23.2	-	-
45-49	1.3	-	-	-
India 2005-06				
Age 5-year groups				
15-19	97.2	137.7	161.8	156.7
20-24	214.4	246.9	264.4	264.2
25-29	142.9	169.8	197.0	202.3
30-34	66.2	91.0	114.4	136.1
35-39	26.6	45.0	70.2	-
40-44	7.8	19.4	-	-
45-49	2.8	-	-	-
Nepal 2006				
Age 5-year groups				
15-19	106.3	143.5	142.6	142.2
20-24	233.3	260.3	301.5	302.7
25-29	152.3	205.7	244.4	270.5
30-34	92.3	136.3	176.8	229.2
35-39	54.9	75.4	125.6	-
40-44	22.6	46.6	-	-
45-49	2.8	-	-	-

Source: Macro International Inc, 2011. MEASURE DHS STATcompiler. <http://www.dhs.org/>

Fertility trends (original table):

Age-specific fertility rates for five-year periods preceding the survey.

Note: Age-specific fertility rates are per 1,000 women. Estimates for age groups in different period are truncated.

Tasa de mortalidad infantil para todos los países con DHS

	Infant and child mortality						Infant and child mortality						Five years periods of analysis				
	Five years periods of analysis						Five years periods of analysis						0-4	5-9	10-14	15-19	20-24
	0-4	5-9	10-14	15-19	20-24		0-4	5-9	10-14	15-19	20-24		Mortality rate				
	Mortality rate						Mortality rate						Infant mortality (1q0)				
	Infant mortality (1q0)						Infant mortality (1q0)										
Sub-Saharan Africa												Uzbekistan 1996					
Angola 2006-07	69.0	-	-	-	-	Rwanda 2007-08 ⁽⁶⁾	62.3	94.7	94.8	80.4	80.9	South & Southeast Asia					
Benin 2006 ⁽¹⁾	67.0	86.0	83.3	90.1	108.2	Senegal 2008-09	53.6	70.2	72.0	68.8	70.3	Bangladesh 2007 ⁽¹²⁾	51.5	62.3	89.4	91.9	119.3
Botswana 1988	38.4	38.8	56.2	66.5	86.9	Sierra Leone 2008	88.9	131.7	120.4	136.5	174.6	Cambodia 2005	65.6	108.6	93.1	86.0	86.4
Burkina Faso 2003 ⁽²⁾	81.4	103.0	92.9	96.4	108.5	South Africa 1998	45.4	39.2	50.7	62.9	82.5	India 2005-06	57.0	72.2	76.6	89.0	105.6
Burundi 1987	73.7	99.8	104.4	99.2	98.3	Sudan 1989-90	70.0	84.0	80.1	74.1	74.7	Indonesia 2007	34.2	43.7	53.2	64.7	72.9
Cameroon 2004	74.1	89.3	79.8	86.0	92.0	Swaziland 2006-07	85.5	67.2	38.9	30.3	56.5	Maldives 2009 ⁽¹³⁾	14.2	32.0	35.2	44.4	67.2
Cape Verde 1998 RHS ⁽³⁾	30.9	42.1	47.2	-	-	Tanzania 2004-05	68.0	99.7	93.8	96.8	88.9	Nepal 2006	47.9	72.4	82.4	98.1	130.1
CAR 1994-95	96.7	107.2	102.8	110.7	110.9	Togo 1998	79.7	81.0	91.0	97.0	103.9	Pakistan 2006-07 ⁽¹⁴⁾	77.7	76.1	86.3	91.0	96.6
Chad 2004	101.7	128.6	108.9	108.2	121.5	Uganda 2006	71.1	96.9	98.2	104.2	107.2	Pakistan 1990-91	86.0	100.2	100.1	101.7	111.6
Comoros 1996	77.3	90.0	106.1	138.3	122.0	Zambia 2007	70.4	94.7	83.9	81.7	76.5	Philippines 2008	24.9	30.9	31.6	30.6	44.2
Congo Democratic Republic 2007	91.8	98.2	96.1	84.1	98.4	Zimbabwe 2005-06	59.9	37.1	40.5	38.2	47.7	Sri Lanka 1987	24.7	39.9	38.4	38.3	39.0
Cote d'Ivoire 1998-99	112.2	110.8	84.9	93.8	148.9	North Africa/West Asia/Europe						Thailand 1987	35.2	41.3	53.5	67.6	79.1
Eritrea 2002	47.7	66.6	72.8	76.9	88.6	Albania 2002 RHS ⁽⁷⁾	26.8	24.4	29.3	-	-	Vietnam 2002	18.2	29.6	35.7	49.1	36.3
Ethiopia 2005	77.0	83.4	94.6	124.4	131.5	Armenia 2005	25.6	29.6	40.8	43.6	64.4	Latin America & Caribbean					
Gabon 2000	57.3	65.2	52.1	63.5	80.9	Azerbaijan 2006	43.0	55.2	67.1	68.1	77.1	Bolivia 2008 ⁽¹⁵⁾	49.8	65.2	75.8	96.2	113.3
Ghana 2008	50.3	57.2	61.5	75.5	79.7	Egypt 2008 ⁽⁸⁾	24.5	32.7	40.6	48.0	70.2	Brazil 1996	39.3	55.8	61.2	75.3	90.1
Guinea 2005	91.4	126.3	127.2	130.0	148.3	Georgia 2005 RHS ⁽⁹⁾	21.1	36.1	46.0	-	-	Colombia 2010	15.8	20.1	22.6	27.2	31.3
Kenya 2008-09	51.7	67.1	58.7	54.5	58.5	Jordan 2009	23.1	28.6	23.4	31.1	31.5	Dominican Republic 2007	32.1	33.0	36.3	43.2	47.7
Lesotho 2004	91.0	74.7	71.3	65.8	59.4	Moldova 2005	12.8	29.4	20.3	32.7	39.1	Ecuador 2004 RHS ⁽¹⁶⁾	29.8	33.6	30.4	-	-
Liberia 2009 ⁽⁴⁾	72.6	135.3	156.5	175.9	172.0	Morocco 2003-04 ⁽¹⁰⁾	40.4	47.4	62.3	75.4	93.2	El Salvador 2008 RHS ⁽¹⁷⁾	15.9	25.8	31.9	-	-
Madagascar 2008-09 ⁽⁵⁾	47.9	58.9	66.6	72.9	88.1	Romania 1999 RHS ⁽¹¹⁾	30.4	28.0	30.7	-	-	Guatemala 2008 RHS ⁽¹⁸⁾	30.3	38.3	41.3	-	-
Malawi 2004	76.1	112.5	103.9	104.4	117.3	Tunisia 1988	48.0	63.4	71.0	90.1	111.6	Haiti 2005-06	57.3	82.5	85.6	102.5	114.4
Mali 2006	95.8	129.0	125.5	142.9	153.5	Turkey 1998	42.7	54.0	69.7	96.6	123.7	Honduras 2005-06	23.4	33.9	34.9	46.9	53.8
Mauritania 2000-01	69.9	64.1	63.2	84.9	92.5	Ukraine 2007	13.9	19.2	15.7	22.3	24.8	Jamaica 2008 RHS ⁽¹⁹⁾	16.7	22.1	16.4	-	-
Mozambique 2003	100.7	147.8	149.6	155.6	160.7	Yemen 1997	75.3	103.3	109.6	138.4	186.4	Mexico 1987	47.4	65.9	68.5	82.7	91.0
Namibia 2006-07	46.1	51.4	43.8	43.9	47.4	Central Asia						Nicaragua 2006 RHS ⁽²⁰⁾	29.0	37.0	42.0	-	-
Niger 2006	81.4	105.9	115.4	129.2	103.9	Kazakhstan 1999	61.9	49.7	54.9	65.4	82.0	Paraguay 2008 RHS ⁽²¹⁾	20.4	29.0	22.4	-	-
Nigeria 2008	75.3	99.4	97.3	100.9	91.0	Kyrgyz Republic 1997	61.3	70.8	82.0	95.0	98.4	Peru 2000	33.3	52.2	64.1	75.7	76.1
Rwanda 2007-08 ⁽⁶⁾	62.3	94.7	94.8	80.4	80.9	Turkmenistan 2000	73.9	69.5	83.7	100.5	120.3	Trinidad and Tobago 1987	28.0	33.3	45.7	42.4	52.6

Tendencia de la edad a la primera relación sexual, varios países

	Age at first sexual intercourse			
	Age group		Men aged 25-54	
	25-49		25-54	
	Exact age at first intercourse	Number and median	Exact age at first intercourse	Number and median
	Never had intercourse	Median	Never had intercourse	Median
Sub-Saharan Africa				
Ghana 2008	1.0	18	2.1	20
Ghana 2003	0.7	18	2.3	20
Ghana 1998	0.6	18	2.4	19
Ghana 1993	0.3	17	1.3	19
Ghana 1988	0.3	17	-	-
Kenya 2008-09	1.1	18	0.7	18
Kenya 2003	1.3	18	1.1	17
Kenya 1998	0.6	17	0.6	17
Kenya 1993	0.5	17	0.4	17
Kenya 1989	0.2	17	-	-
South & Southeast Asia				
Bangladesh 2007 ⁽¹⁾	-	-	11.3	24
Indonesia 2007	6.6	20	-	23
Indonesia 2002-03	5.9	19	-	-
Indonesia 1997	6.0	19	-	-
Indonesia 1994	6.2	18	-	-
Indonesia 1991	5.3	18	-	-
Indonesia 1987	5.5	17	-	-
Latin America & Caribbean				
Bolivia 2008 ⁽²⁾	2.9	19	1.0	17
Bolivia 2003	2.9	19	0.7	17
Bolivia 1998	4.3	19	1.1	17
Bolivia 1994	3.9	19	-	-
Bolivia 1989	3.6	19	-	-
Colombia 2010	1.8	18	-	-
Colombia 2005	3.1	18	-	-
Colombia 2000	4.0	19	-	-
Colombia 1995	5.4	20	-	-
Colombia 1990	8.1	20	-	-
Colombia 1986	8.3	19	-	-

Prevalencia de diarrea en algunos países de Latinoamérica por ciertas características

	Diarrhea prevalence																	
	Births in three years preceding the survey									Births in five years preceding the survey								
	Highest educational level			Sex of child		Birth order				Highest educational level			Sex of child		Birth order			
	No education	Primary	Secondary or higher	Male	Female	1	2-3	4-5	6+	No education	Primary	Secondary or higher	Male	Female	1	2-3	4-5	6+
	Diarrhea prevalence																	
	Diarrhea Prevalence last 2 weeks																	
Bolivia 2008 ⁽¹⁾	31.7	35.5	27.6	33.1	30.6	27.3	32.8	34.2	36.0	23.5	28.7	22.9	27.1	24.9	23.9	26.3	27.6	27.5
Colombia 2010	24.2	19.3	15.2	17.2	15.4	16.0	16.1	18.0	18.4	16.2	14.2	11.9	13.0	12.2	12.7	12.3	13.3	13.2
Dominican Republic 2007	18.3	23.1	17.3	20.2	18.9	21.1	19.8	15.5	17.8	12.5	16.4	13.6	15.0	14.3	16.2	14.7	11.7	13.3
Ecuador 2004 RHS ⁽²⁾	26.6	27.4	24.3	26.2	25.3	26.1	23.9	29.6	27.3	20.4	24.1	19.7	22.8	20.5	22.7	20.5	22.7	22.4
Haiti 2005-06	33.6	32.0	25.3	32.1	29.6	27.4	31.5	31.8	33.6	26.1	24.5	19.1	24.4	23.1	21.5	23.3	24.5	26.6
Honduras 2005-06	22.7	22.1	15.7	21.8	19.4	21.0	19.0	24.2	20.6	17.1	17.0	11.9	16.5	15.3	16.3	14.9	17.6	15.8

Source: Macro International Inc, 2011. MEASURE DHS STATcompiler. <http://www.measuredhs.com>, May 16 2011.

Diarrhea prevalence:

Percentage of children under three (five) years who had diarrhea and diarrhea with blood in the two weeks preceding the survey, and the percentage of children who diarrhea in the preceding 24 hours, by selected background characteristics

Actitud de la mujer hacia el maltrato por edad, estado civil y nivel socioeconómico, Egipto 2005

Pivot View: <input checked="" type="radio"/> Sort - Survey/Characteristic <input type="radio"/> Sort - Characteristic/Survey <input type="radio"/> Sort - Survey					
	Women's attitude toward wife beating				
	Husband is justified in hitting or beating his wife				
	Burns the food	Argues with him	Goes out without telling him	Neglects the children	Refuses to have sex with him
Egypt 2005					
Age in 5 year categories					
15-19	21.8	42.7	46.2	43.1	38.8
20-24	18.5	38.3	41.5	40.6	33.4
25-29	16.9	32.7	37.2	36.9	31.0
30-34	16.5	33.7	36.8	36.7	30.0
35-39	20.7	39.7	41.5	41.1	35.7
40-44	20.7	39.5	42.3	41.5	35.1
45-49	20.6	41.2	42.8	42.3	36.0
Marital status					
Married or living together	19.0	37.7	40.7	39.9	33.7
Divorced/separated /widowed	18.8	34.2	35.5	37.8	31.7
Household wealth index					
Lowest	34.7	62.8	65.2	63.5	55.9
Second	26.4	50.6	52.8	51.5	46.6
Middle	21.6	40.6	44.7	43.3	37.1
Fourth	10.6	25.5	28.9	29.4	22.0
Highest	4.3	11.9	14.5	15.1	10.2

Source: Macro International Inc, 2011. MEASURE DHS STATcompiler. <http://www.measuredhs.com>, May 12 2011.

Women's attitude toward wife beating:

Percentage of women who agree that a husband is justified in hitting or beating his wife for specific reasons, by background characteristics.

Comparación hombres y mujeres de las razones para no utilizar anticonceptivos, Ghana

	Reason for not using contraception								Ghana 2008	0.5	1.1	-	-
	Respondent's age				Main reason not to use a method: Interfere with body				Ghana 2003	2.1	1.2	-	-
	<30	30+	<30	30+	Ghana 2008	2.6	4.1	-	Ghana 1998	1.4	0.7	0.0	0.5
Main reason not to use a method: Cost too much					Ghana 2003	0.9	1.6	-	Ghana 1993	4.1	4.0	7.4	11.2
Ghana 2008	0.0	1.0	-	-	Ghana 1998	1.0	2.7	0.0	Main reason not to use a method: Others opposed				
Ghana 2003	1.5	1.1	-	-	Main reason not to use a method: Knows no method				Ghana 2008	1.2	0.5	-	-
Ghana 1998	0.8	0.8	3.9	0.5	Ghana 2008	3.7	1.3	-	Ghana 1998	0.3	0.0	0.0	0.5
Ghana 1993	0.0	0.4	3.7	0.0	Ghana 2003	5.9	3.9	-	Ghana 1993	0.8	0.6	0.0	0.6
Main reason not to use a method: DK					Ghana 1998	6.5	3.8	1.2	Main reason not to use a method: Religious prohibition				
Ghana 2008	2.3	1.5	-	-	Main reason not to use a method: Knows no source				Ghana 2008	3.4	2.5	-	-
Ghana 2003	3.0	1.6	-	-	Ghana 2008	2.7	1.0	-	Ghana 2003	4.7	3.1	-	-
Ghana 1998	2.6	2.2	3.7	2.2	Ghana 2003	2.6	0.8	-	Ghana 1998	9.8	5.4	14.6	11.9
Ghana 1993	4.1	3.5	3.7	2.9	Ghana 1998	1.6	1.5	9.6	Ghana 1993	3.3	1.7	0.0	4.7
Main reason not to use a method: Fear of side effects					Main reason not to use a method: Lack of access				Main reason not to use a method: Respondent opposed				
Ghana 2008	34.1	22.9	-	-	Ghana 2008	0.4	0.3	-	Ghana 2008	22.1	14.2	-	-
Ghana 2003	34.2	22.5	-	-	Ghana 2003	0.8	0.5	-	Ghana 2003	8.9	4.7	-	-
Ghana 1998	23.7	15.7	11.7	9.0	Ghana 1998	0.0	0.2	0.0	Ghana 1998	16.2	11.9	12.0	19.3
Ghana 1993	7.1	6.2	0.0	2.9	Ghana 1993	0.5	0.4	-	Ghana 1993	6.0	2.4	3.7	4.7
Main reason not to use a method: Health concerns					Main reason not to use a method: Lack of knowledge				Main reason not to use a method: Spouse opposed				
Ghana 2008	8.1	8.2	-	-	Ghana 1993	15.8	11.5	22.2	Ghana 2008	4.1	2.0	-	-
Ghana 2003	9.1	7.0	-	-	Main reason not to use a method: Menopausal, hysterectomized				Ghana 2003	3.3	2.9	-	-
Ghana 1998	3.1	4.7	0.0	1.2	Ghana 2008	0.0	10.1	-	Ghana 1998	4.8	1.3	-	-
Ghana 1993	2.4	2.7	0.0	2.4	Ghana 2003	0.0	8.5	-	Ghana 1993	1.9	1.7	0.0	2.9
Main reason not to use a method: Inconvenient to use					Ghana 1998	0.0	16.6	0.0	Main reason not to use a method: Subfecund, infecund				
Ghana 2008	3.6	2.0	-	-	Ghana 1993	0.5	16.8	-	Ghana 2008	1.8	13.3	-	-
Ghana 2003	1.0	1.0	-	-	Main reason not to use a method: Missing				Ghana 2003	1.4	19.7	-	-
Ghana 1998	1.7	1.5	0.0	2.5	Ghana 2003	0.3	0.4	-	Ghana 1998	3.0	10.3	0.0	5.2
Ghana 1993	1.4	1.3	0.0	1.2	Ghana 1998	0.5	0.0	-	Ghana 1993	5.4	16.3	0.0	14.1
Main reason not to use a method: Infrequent sex					Ghana 1993	-	-	0.0	Main reason not to use a method: Wants more children				
Ghana 2008	2.5	5.3	-	-	Main reason not to use a method: Not married				Ghana 2008	6.8	8.7	-	-
Ghana 2003	1.4	7.0	-	-	Ghana 2003	1.5	0.0	-	Ghana 2003	17.4	12.5	-	-
Ghana 1998	1.9	2.6	0.0	5.2	Ghana 1998	-	-	0.0	Ghana 1998	21.2	18.1	43.3	22.2
Ghana 1993	0.8	4.5	0.0	7.6	Ghana 1993	-	-	0.0	Ghana 1993	45.9	25.9	59.3	31.2

Edad al 1er. nacimiento por nivel educativo, socioeconómico y residencia, encuestas recientes

	Age at first birth										
	Highest educational level				Household wealth index					Residence	
	No education	Primary	Secondary or higher	Missing	Lowest	Second	Middle	Fourth	Highest	Urban	Rural
Age group											
20-49											
Sub-Saharan Africa											
Benin 2006 ⁽¹⁾	19.4	-	-	-	-	-	-	-	-	-	19.4
Congo (Brazzaville) 2005	18.5	18.6	-	-	18.8	19.1	19.0	19.9	-	20.0	19.0
Congo Democratic Republic 2007	19.7	19.3	-	-	19.8	19.9	19.6	19.6	-	-	19.8
Ethiopia 2005	18.8	19.5	-	-	19.0	18.8	19.2	18.9	-	-	19.0
Ghana 2008	19.8	19.3	-	-	19.8	19.9	-	-	-	-	-
Guinea 2005	18.8	18.8	-	-	18.6	18.5	18.7	19.1	19.9	19.8	18.7
Kenya 2008-09	18.4	19.0	-	-	18.7	19.1	19.4	-	-	-	19.4
Liberia 2009 ⁽²⁾	18.2	18.4	19.7	-	18.3	18.2	18.4	18.8	19.3	18.9	18.3
Liberia 2007	18.7	18.9	-	18.6	19.2	18.5	19.2	18.8	19.8	19.2	19.0
Madagascar 2008-09 ⁽³⁾	18.6	19.5	-	-	18.7	19.3	19.6	-	-	-	19.7
Mali 2006	18.6	18.7	-	-	18.6	18.6	18.5	18.4	19.7	19.3	18.6
Namibia 2006-07	19.6	19.5	-	-	-	-	-	-	-	-	-
Niger 2006	17.9	19.1	-	-	17.9	17.8	18.0	18.0	19.1	19.6	17.9
Nigeria 2008	18.2	19.5	-	-	18.4	18.7	19.9	-	-	-	19.5
Senegal 2008-09	19.9	-	-	-	18.6	19.5	-	-	-	-	19.8
Senegal 2005	19.7	-	-	-	19.0	19.3	20.0	-	-	-	19.6
Sierra Leone 2008	18.9	19.1	-	-	19.3	19.0	18.8	19.0	-	19.7	19.0
Swaziland 2006-07	17.8	18.3	-	-	18.7	18.8	19.0	19.8	-	-	19.1
Uganda 2006	18.4	18.3	-	-	18.4	18.5	18.6	18.4	19.7	19.7	18.6
Zambia 2007	18.6	18.5	-	-	18.6	18.7	18.6	18.8	-	19.9	18.7
Zimbabwe 2005-06	18.8	18.9	-	-	19.2	19.3	-	-	-	-	19.6
South & Southeast Asia											
Bangladesh 2007 ⁽⁴⁾	17.4	17.6	19.7	19.2	17.3	17.8	17.9	18.4	19.7	19.1	17.9
India 2005-06	18.7	19.4	-	20.0	18.7	18.9	19.6	-	-	-	19.5
Indonesia 2007	19.7	20.0	-	17.5	-	-	-	-	-	-	-
Maldives 2009 ⁽⁵⁾	18.8	-	-	-	-	-	-	-	-	-	-
Nepal 2006	19.6	19.6	-	-	19.9	19.6	19.7	19.9	-	-	19.8
Philippines 2008	20.0	-	-	-	-	-	-	-	-	-	-
Latin America & Caribbean											
Bolivia 2008 ⁽⁶⁾	-	19.7	-	-	19.9	-	-	-	-	-	-
Colombia 2005	18.8	19.9	-	-	19.7	-	-	-	-	-	-
Dominican Republic 2007	18.2	18.7	-	-	18.8	19.6	-	-	-	-	19.9
Honduras 2005-06	18.7	19.3	-	-	19.1	19.2	19.5	-	-	-	19.4

Source: Macro International Inc, 2011. MEASURE DHS STATcompiler. <http://www.measuredhs.com>, May 12 2011.

Age at first birth by background characteristics

Participación de la mujer en las decisiones por ciertas características, Colombia 2005

	Women's participation in decision making by background characteristics						
	Final say in number of specific decisions						
	Own health care	Making large purchases	Making daily purchases	Visits to family, relatives, friends	What food to cook daily	All	None
Colombia 2005							
Age in 5 year categories							
15-19	47.4	13.7	16.0	44.0	27.2	7.9	34.0
20-24	83.1	45.4	48.4	73.4	57.2	30.5	7.6
25-29	90.0	65.1	68.3	83.8	72.9	47.9	2.5
30-34	92.8	73.4	78.8	86.3	83.1	57.6	1.1
35-39	92.2	76.6	80.6	87.3	85.1	60.4	1.4
40-44	91.9	78.2	82.1	88.0	89.3	64.3	0.8
45-49	90.7	79.3	84.3	88.2	90.6	64.9	0.7
Highest educational level							
No education	71.8	56.4	61.5	69.0	79.2	39.5	8.1
Primary	82.6	64.1	70.3	78.4	83.5	50.1	4.9
Secondary or higher	82.4	56.5	59.2	76.4	63.3	43.0	9.5
Employment							
Not employed	73.3	46.0	51.5	68.9	65.6	36.1	13.6
Employed for cash	91.6	71.6	73.4	85.1	72.6	54.0	2.8
Employed not for cash	74.4	49.4	55.3	68.4	71.1	35.5	10.7
Household wealth index							
Lowest	72.6	49.8	55.4	67.8	74.4	37.5	11.1
Second	81.0	59.8	65.0	77.8	74.5	46.8	7.8
Middle	84.4	62.0	65.7	78.8	71.1	48.1	7.3
Fourth	84.5	61.4	64.0	78.9	67.3	46.4	7.4
Highest	85.2	57.0	59.2	77.6	61.3	43.1	8.6

5) HIV/AIDS Survey Indicator Tables

Data Tables (HIV/AIDS Survey Indicators Database)

To create a data table, select criteria from the following three categories:

- **Surveys**—A collection of results from the population-based and target group surveys stored in the HIV/AIDS Survey Indicators Database
- **Indicators**—The applicable health indicators that are used to evaluate respondents' attitudes and behavior relative to the health risks measured by the surveys and prevalence data for HIV and other STIs
- **Background Characteristics**—The available background data, such as age and education.

For instructions and to view examples from DHS+ and other surveys, go to [How to Create Data Tables](#).

To build customized tables on population and health indicators from DHS surveys, go to [STATcompiler](#).

<div>Available Surveys ? Select surveys by either clicking on the All Surveys link in a region (⇨) or expanding a region and adding individual surveys.</div> <div>Choose type: All DHS MICS AIS BSS YAS SBS Other RHS</div> <div>Sample Type: All Target Group Population Based</div> <div>All Surveys ⇨ Most Recent Surveys (last 5 yrs) ⇨</div> <div>Sub-Saharan Africa: All Surveys ⇨ ▶ Western Africa ▶ Middle Africa ▶ Eastern Africa ▶ Southern Africa</div> <div>North Africa/West Asia/Europe: All Surveys ⇨ ▶ North Africa ▶ Southern Europe ▶ Eastern Europe ▶ West Asia</div> <div>Central Asia: All Surveys ⇨ ▶ Central Asia</div> <div>South & Southeast Asia: All Surveys ⇨ ▶ South Asia ▶ Southeast Asia ▶ East Asia</div> <div>Latin America & Caribbean: All Surveys ⇨ ▶ Caribbean ▶ Central America ▶ South America</div>	<div>Selected Surveys ?</div>
<div>Available Indicators ? Expand program areas to show available indicators. Select as many indicators as you wish and add them to the selected Indicators list.</div> <div>Choose Type: All UNAIDS only UNICEF only The President's</div>	<div>Selected Indicators ?</div>

Con esta herramienta se pueden crear tablas, al igual que en el compilador, sobre los indicadores provenientes de las encuestas de VIH/SIDA, con datos que provienen de las DHS, de la encuesta AIS (Encuesta de indicadores de SIDA) y de otras encuestas alrededor del tema.

Información sobre VIH/SIDA, Colombia 2005 y Bolivia 2008

Data Tables (HIV/AIDS Survey Indicators Database): Custom Table

Would you mind answering a [few questions about the HIV/AIDS Survey Indicators Database?](#)

Modify Table

Start Over

Split by Indicators

Convert to Excel

If you do not have Microsoft Excel, you can download an [Excel viewer here.](#)

Select Pivot/Sort Option:
 Sort - Characteristic/Survey (indicator only)
 Pivot Table

Select Data Type:
 Indicator Value
 Select Data Type


	2.5) Knowledge of a formal source of condoms among young people.	2.6) Percentage of young people aged 15-24 who report they could get condoms on their own	3.1) Accepting attitudes towards those living with HIV - Composite of 4 components	3.1.1) Accepting attitudes - Willing to care for family member sick with AIDS (1)	3.1.2) Accepting attitudes - Would buy fresh vegetables from a shopkeeper with AIDS (2)	3.1.3) Accepting attitudes - Female teacher who is HIV+ but not sick should be allowed to continue teaching in school (3)	3.1.4) Accepting attitudes - Not secretive about family member's HIV status (4)	8.1.2) Higher-risk Sex (with multiple partners among all respondents)	8.2.2) Condom use at last sex with anyone	8.2.3) Condom use during higher-risk sex (with multiple partners)	8.3) Commercial sex in last year	8.2.3) Condom use at last commercial sex, reported by client										
	Total	Age groups	Total	Age groups	Total	Age groups	Total	Age groups	Total	Age groups	Total	Age groups										
	Total	15-49	Total	15-49	Total	15-49	Total	15-49	Total	15-49	Total	15-49										
Sex: Male																						
Population-based	(Indicator Value)																					
Latin America & Caribbean																						
Bolivia Demographic and Health Survey 2008	83.3	70.7	14.9	15.9	73.5	73.6	46.3	47.6	52.6	54.6	42.7	44.0	10.9	12.0	16.5	18.8	33.6	35.2	2.7	2.9	85.3	89.0
Sex: Female																						
Latin America & Caribbean																						
Bolivia Demographic and Health Survey 2008	69.5	35.5	16.7	16.7	72.9	72.9	50.1	50.1	62.4	62.4	43.9	43.9	-	-	-	-	-	-	-	-	-	-
Salud Sexual Y Reproductiva en Colombia, Encuesta Nacional de demografía y Salud, Resultados 2005	93.8	76.5	-	-	67.8	68.0	-	-	-	-	-	-	3.2	3.4	15.2	15.2	36.2	36.2	-	-	-	-

Source: HIV/AIDS Survey Indicators Database. <http://www.measuredhs.com/hivdata/>, May 11 2011.


6) StatMapper

<http://macroint.mapsherpa.com/statmapper/>

Mapa mundial sobre porcentaje de mujeres casadas que utilizan algún método anticonceptivo



Mapa mundial de las tasas de mortalidad infantil



Manual de DHS

Online Guide to DHS Statistics

<http://www.measuredhs.com/help/Datasets/index.htm>

Allí están las definiciones de las variables, las formas de calcularlas, etc.